

## CALLISTO® XTRA

Date: 7/14/2015  
 Replaces: 3/27/2015

### 1. PRODUCT IDENTIFICATION

Product identifier on label: **CALLISTO® XTRA**  
 Product No.: A16907D  
 Use: Herbicide  
 Manufacturer: Syngenta Crop Protection, LLC  
 Post Office Box 18300  
 Greensboro NC 27419  
 Manufacturer Phone: 1-800-334-9481

**Emergency Phone: 1-800-888-8372**

### 2. HAZARDS IDENTIFICATION

Classifications: Specific Target Organ Toxicity: Repeated Category 2  
 Eye Damage/Irritation: Category 2B  
 Signal Word (OSHA): Warning  
 Hazard Statements: Causes eye irritation  
 May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Do not breathe mist, vapors, spray.  
 Wash hands and face thoroughly after handling.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Get medical advice if you feel unwell.  
 If eye irritation persists: Get medical advice.  
 Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: Flammable hydrogen gas may be formed on contact with incompatible metals. See "Conditions to Avoid", Section 10.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name     | Common Name       | CAS Number   | Concentration |
|-------------------|-------------------|--------------|---------------|
| 1,2-Propanediol   | Propylene Glycol  | 57-55-6      | Trade Secret  |
| Other ingredients | Other ingredients | Trade Secret | <60.34%       |

## CALLISTO® XTRA

Date: 7/14/2015  
Replaces: 3/27/2015

|  |            |             |        |
|--|------------|-------------|--------|
| 2-chloro-4-ethylamino-6-isopropylamino-s-triazine          | Atrazine   | 1912-24-9   | 34.30% |
| 2-[4-(methylsulfonyl)-2-nitrobenzoyl]-1,3-cyclohexanedione | Mesotrione | 104206-82-8 | 5.36%  |

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

#### 4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion:** If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact:** If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation:** If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

#### 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO<sub>2</sub> extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

Flammable hydrogen gas may be formed on contact with incompatible metals. See "Conditions to Avoid", Section 10.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into

## CALLISTO® XTRA

Date: 7/14/2015  
 Replaces: 3/27/2015

compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

### 7. HANDLING AND STORAGE

Precautions for safe handling:

Spray solutions of this product should be mixed, stored and applied using only plastic, plastic-lined steel, stainless steel or fiberglass/plastic containers. Concentrate should not be stored or maintained in long-term contact with galvanized steel, carbon steel, aluminum, brass or cast iron.

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Not Applicable

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

Occupational Exposure Limits:

| Chemical Name     | OSHA PEL        | ACGIH TLV                           | Other                    | Source         |
|-------------------|-----------------|-------------------------------------|--------------------------|----------------|
| Propylene Glycol  | Not Established | Not Established                     | 10 mg/m <sup>3</sup> TWA | AIHA           |
| Other ingredients | Not Applicable  | Not Applicable                      | Not Applicable           | Not Applicable |
| Atrazine          | Not Established | 2 mg/m <sup>3</sup> TWA (inhalable) | Not Applicable           | Not Applicable |
| Mesotrione        | Not Established | Not Established                     | 5 mg/m <sup>3</sup> TWA  | Syngenta       |

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

**Ingestion:**

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

**Eye Contact:**

Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**Skin Contact:**

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

**Inhalation:**

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

## CALLISTO® XTRA

Date: 7/14/2015  
Replaces: 3/27/2015

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Beige liquid  
Odor: Paint  
Odor Threshold: Not Available  
pH: 3.2 (1% solution in deionized H<sub>2</sub>O @ 77°F [25°C])  
Melting point/freezing point: Not Applicable  
Initial boiling point and boiling range: Not Available  
Flash Point (Test Method): > 212°F (Pensky-Martens CC)  
Flammable Limits (% in Air): Not Available  
Flammability: Not Applicable  
Vapor Pressure: Atrazine 2.9 x 10<sup>-7</sup> mmHg @ 68°F (20°C)  
Mesotrione < 4.3 x 10<sup>-8</sup> mmHg @ 68°F (20°C)  
Vapor Density: Not Available  
Relative Density: 1.111 g/cm<sup>3</sup> @ 68°F (20°C)  
Solubility (ies): Atrazine 33 mg/l @ 68°F (20°C)  
Mesotrione 160 mg/l @ 68°F (20°C) (99.7% pure)  
Partition coefficient: n-octanol/water: Not Available  
Autoignition Temperature: > 1202°F  
Decomposition Temperature: Not Available  
Viscosity: Not Available  
Other: None

---

### 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.  
Chemical stability: Stable under normal use and storage conditions.  
Possibility of hazardous reactions: Will not occur.  
Conditions to Avoid: Concentrate should not be stored in galvanized steel, carbon steel or aluminum. Brass and/or cast iron fittings should not be used. Spray solutions should not be mixed, stored or applied in containers other than plastic, plastic-lined steel, stainless or fiberglass/plastic.  
Incompatible materials: None known.  
Hazardous Decomposition Products: None known.

---

### 11. TOXICOLOGICAL INFORMATION

#### Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation

Delayed, immediate and chronic effects of exposure: Eye irritation

## CALLISTO® XTRA

Date: 7/14/2015  
Replaces: 3/27/2015

### Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Female Rat) : > 5000 mg/kg body weight  
 Dermal: Dermal (LD50 Rat) : > 5050 mg/kg body weight  
 Inhalation: Inhalation (LC50 Rat) : > 2.62 mg/l air - 4 hours  
 Eye Contact: Moderately Irritating (Rabbit)  
 Skin Contact: Non-Irritating (Rabbit)  
 Skin Sensitization: Not a Sensitizer (Guinea Pig)

### Reproductive/Developmental Effects

Atrazine : None observed.  
 Mesotrione : Did not show reproductive effects in animal experiments.

### Chronic/Subchronic Toxicity Studies

Atrazine : Cardiotoxicity in long term study with high doses (dogs).  
 Mesotrione : No adverse effect has been observed in chronic toxicity tests.

### Carcinogenicity

Atrazine : Mammary tumors (female Sprague-Dawley rats), sex and strain specific.  
 None observed (male Sprague-Dawley rats, F-344 rats or mice).  
 Mesotrione : Did not show carcinogenic effects in animal experiments.

| Chemical Name  | NTP/IARC/OSHA Carcinogen |
|--|--------------------------|
| 1,2-Propanediol  | No                       |
| Other ingredients  | No                       |
| 2-chloro-4-ethylamino-6-isopropylamino-s-triazine          | IARC Group 3             |
| 2-[4-(methylsulfonyl)-2-nitrobenzoyl]-1,3-cyclohexanedione | No                       |

### Other Toxicity Information

None

### Toxicity of Other Components

Other ingredients  
 Not Applicable

#### Propylene Glycol

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

### Target Organs

#### Active Ingredients

Atrazine : Heart  
 Mesotrione : Blood, eye, kidney, liver.

#### Inert Ingredients

**CALLISTO® XTRA**

Date: 7/14/2015  
 Replaces: 3/27/2015

Other ingredients: Not Applicable  
 Propylene Glycol: CNS, kidney, liver

**12. ECOLOGICAL INFORMATION**

Eco-Acute Toxicity

Atrazine :

- Fish (Rainbow Trout) 96-hour LC50 4.5 ppm
- Green Algae 5-day EC50 49 ppb
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 6.9 ppm
- Bird (Bobwhite Quail) 12-day LD50 940 mg/kg

Mesotrione :

- Fish (Rainbow Trout) 96-hour LC50 >120 mg/l
- Fish (Bluegill Sunfish) 96-hour LC50 >120 mg/l
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 900 mg/l
- Green Algae 72-hour EbC50 4.5 mg/l

Environmental Fate

Atrazine :

The information presented here is for the active ingredient, atrazine.  
 Low bioaccumulation potential. Not persistent in soil. Stable in water. Highly mobile in soil. Will leach. Sinks in water (after 24 h).

Mesotrione :

The substance has low potential for bioaccumulation. Mesotrione has medium to high mobility in soil.

**13. DISPOSAL CONSIDERATIONS**

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

**14. TRANSPORT INFORMATION**

DOT Classification

Ground Transport - NAFTA  
 Not regulated

Comments

Water Transport - International  
 Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Atrazine/Mesotrione), Marine Pollutant  
 Hazard Class: Class 9  
 Identification Number: UN 3082  
 Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Atrazine/Mesotrione)  
 Hazard Class: Class 9

## CALLISTO® XTRA

Date: 7/14/2015  
 Replaces: 3/27/2015

Identification Number: UN 3082  
 Packing Group: PG III

### 15. REGULATORY INFORMATION

**Pesticide Registration:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if swallowed or inhaled.

EPA Registration Number(s):  
 100-1359

**EPCRA SARA Title III Classification:**

Section 311/312 Hazard Classes: Acute Health Hazard  
 Section 313 Toxic Chemicals: Atrazine 34.30% (CAS No. 1912-24-9)

**CERCLA/SARA 304 Reportable Quantity (RQ):**

None

**RCRA Hazardous Waste Classification (40 CFR 261):**

Not Applicable

**TSCA Status:**

Exempt from TSCA, subject to FIFRA

### 16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2  
 Flammability: 1  
 Instability: 0

HMIS Hazard Ratings

Health: 2  
 Flammability: 1  
 Reactivity: 0

|   |          |
|---|----------|
| 0 | Minimal  |
| 1 | Slight   |
| 2 | Moderate |
| 3 | Serious  |
| 4 | Extreme  |
| * | Chronic  |

Syngenta Hazard Category: B,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 7/7/2009  
 Revision Date: 7/14/2015 Replaces: 3/27/2015  
 Section(s) Revised: 2

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

**CALLISTO® XTRA**

Date: 7/14/2015  
Replaces: 3/27/2015

---