



Contains Cypermethrin

EPA Est. No. 4-NY-1

EPA Reg. No. 4-427

WARNING: KEEP OUT OF REACH OF CHILDREN
(See carton for additional precautionary statements)

TRUSTED SINCE 1926
BONMEE[®]

CYPER-EIGHT CONCENTRATE

ACTIVE INGREDIENT:

Cypermethrin

(+)(<i>a</i> -cyano-(3-phenoxyphenyl)methyl(±)cis, trans-3-(2,2-dichloroethyl)-2,2dimethylcyclopropanecarboxylate*	26.00%
†OTHER INGREDIENTS.....	74.00%
TOTAL	<u>100.00%</u>

*Cis/trans ratio: 45/55 ±10.

†Contains Xylene Range Aromatic Solvent.
EPA Est. No. 4-NY-1 EPA Reg. No. 4-427

**KEEP OUT OF REACH
OF CHILDREN
WARNING**

- **CRACK AND CREVICE, SPOT SPRAY FOR RESIDUAL COCKROACH CONTROL**
- **FOR RESIDUAL AND CONTACT CONTROL OF COCKROACHES (WATERBUGS), CRICKETS, SILVERFISH (FIREBRATS), CENTIPEDES, MILLIPEDES, EARWIGS, SOWBUGS (PILLBUGS), SPIDERS, STINK BUGS, ANTS, FLIES, MOSQUITOES, GNATS, SMALL FLYING MOTHS, WASPS, HORNETS, YELLOW JACKETS AND BEES.**
- **CYPER-EIGHT CONTAINS 2.14 LBS. ACTIVE INGREDIENT PER GALLON**
- **FOR INDUSTRIAL, INSTITUTIONAL, COMMERCIAL USE ONLY.**

Please read the entire label before using this product. PRECAUTIONAL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store product in original container and keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent.

STORAGE AND DISPOSAL Cont.

Remove to chemical waste area. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for Guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. you may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

FIRST AID Cont.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Inducing vomiting as First Aid for this substance may result in increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.

PRECAUTIONARY STATEMENTS -

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - WARNING: Causes substantial but temporary eye injury. Causes skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Harmful if swallowed, absorbed through skin or inhaled. Avoid breathing spray. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame. Flashpoint 140°F Min. Do not apply this diluted product in conduits, motor housings, junctions and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children or pets to contact treated surfaces until the spray has dried. Care should be used when spraying to avoid fish and reptile pets by removing pets and covering fish tanks before spraying.

NOT FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.

Do not use in food/feed areas of food/feed handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food/feed is exposed or facility is in operation. Serving areas are areas where prepared foods/feeds are served such as dining rooms but excluding areas where foods/feeds may be prepared or held. In the home, all food/feed processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse. Exposed food/feed should be covered or removed. Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, basements, boiler rooms, garages, mop closets and storage rooms (after canning and bottling).

**CYPER-EIGHT
CONCENTRATE**

Buyer's Guarantee Limited to Label Claims.
Packaged by
Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424

ACTIVE INGREDIENT:

Cypermethrin	100.00%
(+)-[α-cyano-(3-phenoxyphenyl)methyl(±)cis, trans-3-(2,2-dichloroethoxy)-2,2-dimethylcyclopropanecarboxylate]*	74.00%
TOTAL	100.00%

*Cis/trans ratio: 45/55 ±10.
 †Contains Xylene Range Aromatic Solvent
 EPA Est. No. 4-NY-1 EPA Reg. No. 4-427

MOSQUITOES, GNATS, SMALL FLYING MOTHS, WASPS, HORNETS, YELLOW JACKETS: Apply as a residual spray to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns, refuse dumps, garages in either hand or power sprayer. Treat other areas where these pests are found.

BARRIER TREATMENT: To help prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a course spray to thoroughly and uniformly wet the band area using 1 gallon of spray mix per 400 square feet.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

CARPENTER ANTS: Make spot applications as a spray to any trails, around doors and windows, wall voids, crawl spaces, and other places where ants enter premises. Where possible, treat ant nest or infested wood directly.

WASPS, HORNETS, YELLOW JACKETS, BEES: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible.

SOWBUGS, PILLBUGS, MILLIPEDES, EARWIGS, AND CENTIPEDES: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to barrier treatment directions to prevent infestation.

FLIES, MOSQUITOES, GNATS, SMALL FLYING MOTHS: Apply directly to walls, ceilings, window screens, and other flying insect resting areas as a residual surface treatment. May be used inside residential buildings as well as in and around carports, garages, and storage sheds.

OUTDOORS
 Do not apply this product to edible crops.
 ANTS, BEES, CENTIPEDES, COCKROACHES, CRICKETS, FIREBRATS, MILLIPEDES, SILVERFISH, SOWBUGS, SPIDERS, FLIES,

TO CONTROL:
 Ants, Centipedes, Cockroaches (Maintenance), Crickets, Firebrats, Earwigs, Flies, Millipedes, Pillbugs, Silverfish, Sowbugs, Gnats, Mosquitoes

Concentration of Active Ingredient: 0.1%
 Dilution Rate: ½ fl. oz. per 1 gallon of water.

TO CONTROL:
 Bees, Cockroaches (Cleanout), Spiders, Hornets, Yellow Jackets, Wasps, Small Flying Moths

Concentration of Active Ingredient: 0.2%
 Dilution Rate: 1 fl. oz. per 1 gallon of water

INDOORS
 COCKROACHES, SPIDERS, CRICKETS, SILVERFISH, STINK BUGS AND FIREBRATS: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces, stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices.

ANTS: To kill Ants within buildings and homes, spray trails, nests and points of entry. Spray directly on ants where possible.

FOR RESIDUAL PEST CONTROL IN AND ON buildings and structures and their immediate surroundings and on modes of transport. PERMITTED AREAS OF USE INCLUDE industrial buildings, houses, apartment buildings, laboratories, greenhouses, and the nonfood/feed areas of stores, warehouses, vessels, railcars, trucks, trailers, schools, nurseries, day camps, lath houses, seed houses, food handling establishments, packaging and processing plants, commercial, industrial, office, institutional and storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, laboratories and hospitals. IN HOSPITALS: patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles, and boxcars. Also for use in dog kennels and horse stables. IN HORSE STABLES: not for application if horses will be used for food. Cyper-Eight insecticide is intended for dilution with water for spray application. Fill sprayer with the desired volume of water and add Cyper-Eight insecticide. Close and shake before use in order to insure proper mixing. Shake or reagitrate sprayer before use if spraying is interrupted. Make up only as required.

ACTIVE INGREDIENT:

Cypermethrin* 26.0%

OTHER INGREDIENTS:** 74.0%**TOTAL** 100.0%

*Cis/trans ratio: 45/55 (+/-) 10.

**Contains Xylene Range Aromatic Solvent.

Cyper-Active® is a registered trademark of Valent BioSciences Corporation.

Contains 2.14 Pounds Active Ingredient Per Gallon

Please read the entire label before using this product.

EPA Reg. No. 4-427 EPA Est. No. 4-NY-1**PRECAUCION AL CONSUMIDOR:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.**(TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)**FIRST AID**Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

If in Eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Inducing vomiting as First Aid for this substance may result in increased risk of pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS****WARNING:** Causes substantial but temporary eye injury. Causes skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.**Personal Protective Equipment (PPE)**

Some materials that are chemical-resistant to this product are waterproof gloves such as neoprene or viton. If you want more options, follow the instructions for category F on an EPA chemical-resistance category selection chart.

Mixers, loaders, applicators, and other handlers must wear the following:

- Long-sleeve shirt and long pants,
- Shoes and socks,
- Chemical resistant gloves for mixers, loaders and applicators using handheld equipment.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional requirements.

PHYSICAL OR CHEMICAL HAZARDS**Combustible.** Do not use or store near heat or open flame. Flashpoint 140°F Min.**STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

Storage: Store product in original container and keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for Guidance. **Container Disposal:** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.