



Safety Data Sheet

Issue Date: 24-Sep-2013

Revision Date: 13-Nov-2015

Version 2

1. IDENTIFICATION

Product Identifier

Product Name **Pramitol 25E**

Other means of identification

SDS # ADAMA-094

Registration Number(s) Reg. No. 66222-22
UN/ID No UN1993

Recommended use of the chemical and restrictions on use

Recommended Use EPA registered pesticide.

Details of the supplier of the safety data sheet

Manufacturer Address

Makhteshim Agan of North America, Inc. (d/b/a ADAMA)
3120 Highwoods Blvd., Suite 100
Raleigh, NC 27604
1-919-256-9300

Emergency Telephone Number

Emergency Telephone (24 hr) For fire, spill and/or leak contact INFOTRAC:
1-800-535-5053 (North America) 1-352-323-3500 (International)
For medical emergencies and health/safety inquiries, contact PROSAR:
1-877-250-9291

2. HAZARDS IDENTIFICATION

This chemical is a product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-EPA registered chemicals. Please see Section 15 for additional EPA information.

Appearance Yellow to amber liquid

Physical State Liquid

Odor Aromatic, solvent odor

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 1B
Aspiration toxicity	Category 1
Flammable Liquids	Category 3

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Signal Word

Danger

Hazard Statements

Harmful if inhaled
Causes skin irritation
Causes serious eye damage
May cause genetic defects
May be fatal if swallowed and enters airways
Flammable liquid and vapor

**Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof equipment
Use only non-sparking tools
Take precautionary measures against static discharge

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a poison center or doctor/physician
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
If skin irritation occurs: Get medical advice/attention
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Do not induce vomiting
Rinse mouth
IN CASE OF FIRE: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
2-Methoxy-4,6-bis(isopropylamino)-1,3,5-triazine	1610-18-0	24.2-25.8
Proprietary Solvent 1	Proprietary	<55
Proprietary Solvent 2	Proprietary	<11
Proprietary Solvent 3	Proprietary	<10

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

General Advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Seek medical advice.
Skin Contact	Take off contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation occurs: Get medical advice/ attention.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen if breathing is difficult. If breathing has stopped, call 911, give artificial respiration. Seek medical advice.
Ingestion	Do not induce vomiting, unless directed by medical personnel. Get immediate medical attention. If conscious, give 1 glass of water to dilute. Never give anything by mouth to an unconscious person.

Most important symptoms and effects

Symptoms	Causes skin irritation. Causes serious eye damage. May be fatal if swallowed and enters airways. Ingestion with aspiration may cause headache, nausea, drowsiness, fatigue, pneumonitis, pulmonary edema, central nervous system depression, convulsions, and loss of consciousness. May be harmful in contact with skin. May aggravate pre-existing skin conditions. Harmful if inhaled. Vapors may cause irritation to nose, throat, and respiratory tract. High vapor concentrations may cause central nervous system depression which can lead to dizziness, weakness and headache. Inhalation may aggravate respiratory problems.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically. Probable mucosal damage may contraindicate the use of gastric lavage.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor.

Hazardous Combustion Products Combustion products include but are not limited to carbon monoxide and carbon dioxide.

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate area of unprotected personnel. Remain upwind of fire to avoid hazardous vapors and decomposition products. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.
For Emergency Responders	Remove all sources of ignition.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Dike far ahead of spill; use dry sand to contain the flow of material.
Methods for Clean-Up	Absorb with inert material, and then place in suitable container for chemical waste.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Avoid breathing vapors or mists. Use only outdoors or in a well-ventilated area. Follow all product label instructions. Use only as directed. Wash face, hands, and any exposed skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Ground/bond container and receiving equipment. Use non-sparking hand tools and explosion-proof electrical equipment. Take precautionary measures against static discharges. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
--------------------------------	--

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Keep out of the reach of children. Store at ambient conditions. Store away from food stuffs. Store at temperatures above 32°F.
Packaging Materials	Do not reuse container.
Incompatible Materials	Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proprietary Solvent 2	TWA: 20 ppm	TWA: 100 ppm TWA: 300 mg/m ³ (vacated) S* (vacated) Ceiling: 50 ppm (vacated) Ceiling: 150 mg/m ³	IDLH: 1400 ppm Ceiling: 50 ppm Ceiling: 150 mg/m ³

Appropriate engineering controls

Engineering Controls

Please refer to the product label. Use only with adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Use splash goggles or face shield when contact may occur.

Skin and Body Protection

Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Viton or other impervious gloves are required. Long sleeve shirt, trousers, and safety shoes.

Respiratory Protection

Ensure adequate ventilation, especially in confined areas. Wear an appropriate NIOSH/MSHA approved respirator if ventilation is inadequate.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Aromatic, solvent odor
Appearance	Yellow to amber liquid	Odor Threshold	Not determined
Color	Yellow to amber		
Property	Values	Remarks • Method	
pH	6.65	(1% solution in water)	
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	120-130 °C / 248-266 °F		
Flash Point	36 °C / 98 °F	TCC	
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Liquid-not applicable		
Upper Flammability Limits	4.9% +/- 0.25% by volume @ 60°C		
Lower Flammability Limit	1.3%		
Vapor Pressure	3.10E-06 mbar @ 20°C (based on Prometon)		
Vapor Density	Not determined		
Specific Gravity	Not determined		
Water Solubility	0.7 g/L @ 22°C (Prometon)		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	340 °C / 644 °F		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		

Explosive Properties	Not determined
Oxidizing Properties	Not determined
Density	7.8 lb/gal

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

See Sec. 7 Handling & Storage.

Incompatible Materials

Strong acids.

Hazardous Decomposition Products

May include and are not limited to oxides of carbon when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Causes serious eye damage.
Skin Contact	May be harmful in contact with skin. Causes skin irritation.
Inhalation	Harmful if inhaled.
Ingestion	Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary Solvent 1	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h = 3400 ppm (Rat) 4 h
2-Methoxy-4,6-bis(isopropylamino)- 1,3,5-triazine 1610-18-0	= 503 mg/kg (Rat)	> 2500 mg/kg (Rat) = 2200 mg/kg (Rabbit)	= 36 g/m ³ (Rat) 4 h
Proprietary Solvent 2	= 790 mg/kg (Rat)	= 3400 mg/kg (Rabbit)	> 17.7 mg/L (Rat) 4 h = 8000 ppm (Rat) 4 h
Proprietary Solvent 3	= 1260 mg/kg (Rat)	= 5 mL/kg (Rabbit) = 14422 mg/kg (Rat)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity	May cause genetic defects.
Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Aspiration hazard	May be fatal if swallowed and enters airways.

Product Information (Numerical measures of toxicity)**Acute Oral LD50 (Rat):** 2,100 mg/kg**Acute Dermal LD50 (Rabbit):** 2,000-2,500 mg/kg**Acute Inhalation LC50 (Rat):** >2.5 mg/L (4-hr)**Eye Irritation:** Severely irritating.**Dermal Irritation:** Severely irritating.**Dermal Sensitization:** Not available.**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Toxic to aquatic life with long lasting effects. This pesticide is toxic to fish and terrestrial invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water when disposing of equipment washwaters and rinsate. Apply this product only as specified on this label.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Proprietary Solvent 1		9.22: 96 h Oncorhynchus mykiss mg/L LC50		6.14: 48 h Daphnia magna mg/L EC50
Proprietary Solvent 2	500: 96 h Desmodesmus subspicatus mg/L EC50 500: 72 h Desmodesmus subspicatus mg/L EC50	1730 - 1910: 96 h Pimephales promelas mg/L LC50 static 1740: 96 h Pimephales promelas mg/L LC50 flow-through 100000 - 500000: 96 h Lepomis macrochirus µg/L LC50 static 1910000: 96 h Pimephales promelas µg/L LC50 static		1983: 48 h Daphnia magna mg/L EC50 1897 - 2072: 48 h Daphnia magna mg/L EC50 Static
Proprietary Solvent 3	500: 72 h Desmodesmus subspicatus mg/L EC50	337 - 352: 96 h Pimephales promelas mg/L LC50 flow-through 366: 96 h Pimephales promelas mg/L LC50 static 220 - 460: 96 h Leuciscus idus mg/L LC50 static	EC50 = 32.4 mg/L 5 min EC50 = 880 mg/L 17 h	500: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Proprietary Solvent 2	0.785
Proprietary Solvent 3	1.13

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Proprietary Solvent 2		Included in waste stream: F039		U031

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Proprietary Solvent 2	Toxic

14. TRANSPORT INFORMATION**DOT**

UN/ID No UN1993
Proper Shipping Name Flammable liquids, n.o.s. (aromatic solvent)
Hazard Class 3
Packing Group III

IATA

UN/ID No UN1993
Proper Shipping Name Flammable liquids, n.o.s. (aromatic solvent)
Hazard Class 3
Packing Group III

IMDG

UN/ID No UN1993
Proper Shipping Name Flammable liquids, n.o.s. (aromatic solvent)
Hazard Class 3
Packing Group III
Marine Pollutant Yes

15. REGULATORY INFORMATION**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Proprietary Solvent 1	Present	X		Present		Present	X	Present	X	X
2-Methoxy-4,6-bis(isopropylamino)-1,3,5-triazine	Present		X	Present						
Proprietary Solvent 2	Present	X		Present		Present	X	Present	X	X
Proprietary Solvent 3	Present	X		Present		Present	X	Present	X	X

Legend:*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances**AICS - Australian Inventory of Chemical Substances***US Federal Regulations****CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Proprietary Solvent 2	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Proprietary Solvent 2	Proprietary	9.5-10.5	1.0
Proprietary Solvent 3	Proprietary	8.5-9.5	1.0

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Proprietary Solvent 2	X	X	X
Proprietary Solvent 3	X		X

EPA Pesticide Registration Number Reg. No. 66222-22

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

Signal Word: Caution

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Difference between SDS and EPA pesticide label

	EPA	OSHA
Signal Word	Caution	Danger
Acute toxicity - Oral	Harmful if swallowed	N/A
Acute toxicity - Dermal	Harmful if absorbed through the skin	May be harmful in contact with skin
Acute toxicity - Inhalation	N/A	Harmful if inhaled
Skin corrosion/irritation	N/A	Causes skin irritation
Serious eye damage/eye irritation	Causes moderate eye irritation	Causes serious eye damage
Germ cell mutagenicity	N/A	May cause genetic defects
Aspiration Hazard	N/A	May be fatal if swallowed and enters airways

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards**

2

3

0

None

HMIS**Health Hazards****Flammability****Physical Hazards****Personal Protection**

2

3

0

See section 8

Issue Date:

24-Sep-2013

Revision Date:

13-Nov-2015

Revision Note:

Updated format from 27-Jan-2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet